



Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

7622
2M68

CHECKLIST OF PLANTS OF THE SAN JOAQUIN EXPERIMENTAL RANGE

R. F. BUTTERY AND L. R. GREEN



FOREWORD

This publication is the result of the efforts of many people distributed over 23 years. The plants named herein represent 58 different families, all present in some degree on the 4600-acre San Joaquin Experimental Range. Range research on any area involves many things, but high in priority always is the discovery, identification, and evaluation of plant species. This is frequently a continuing chore because conditions favorable to all plants seldom if ever occur, and many plants are so short-lived they are difficult to find. Thus the long period required to develop this list.

It is my hope, and I know the authors concur, that this publication will be of use to technicians and administrators.

E. J. Woolfolk, Chief
Division of Range Management Research

A CHECK LIST OF PLANTS OF THE
SAN JOAQUIN EXPERIMENTAL RANGE

by

Robert F. Buttery, Range Conservationist,
Division of Range Management Research,
and Lisle R. Green^{1/}

Miscellaneous Paper No. 23

April 1958

CALIFORNIA FOREST AND RANGE EXPERIMENT STATION
BERKELEY, CALIFORNIA
FOREST SERVICE--U.S. DEPARTMENT OF AGRICULTURE

^{1/} Formerly range conservationist, California Forest and Range Experiment Station; present address: California State Polytechnic College, San Luis Obispo, California.

PREFACE

The San Joaquin Experimental Range is located near the center of the State in the granite-soil section of the Sierra Nevada foothills. It is in Madera County, 28 miles north of Fresno, California. This 4600-acre experimental area was established in 1934 as a branch station of the California Forest and Range Experiment Station, U. S. Forest Service. Research aimed at increased production from California foothill range through improved management, fertilization, brush control, and livestock management has been carried out since establishment.

The area lies in the "annual grass type" and is characterized by grassy rolling hills with a sparse covering of trees and occasional dense stands of brush. It is in the lower part of the woodland zone between the treeless valley floor and the higher brush and timber belts.

The herbaceous ground cover consists mostly of annual grasses and forbs. In contrast, perennials dominate most western range areas. Ecologically speaking, the area is near the lower limits of the Upper Sonoran Zone. The elevation varies from 700 to 1700 feet, with most of the area lying between 1000 and 1500 feet. Exposures are generally southwesterly.

The drainage basin empties into a small tributary of the San Joaquin River. No permanent streams flow through the area, but springs are numerous and the small drainages carry surface flows during the winter months.

The slope soils are shallow, residual, of granitic origin, and are classed in the Vista series. The swale soils are deeper, alluvial, and are classed in the Visalia series. Both have a low water-holding capacity.

The climate is characterized by mild, rainy winters and hot, dry summers. Snow is rare. Seasonal precipitation usually begins in September and has averaged 19.4 inches, with extremes of 12.3 and 32.1 inches, during the past 23 years. On the average, over 70 percent of the precipitation falls during 4 months, December through March. From mid-May to mid-September there is practically no rain at all.

Seeds of most herbaceous plant species germinate with the first 1/2 to 1 inch of fall rain and grow slowly during the winter. The plants grow rapidly when warm temperatures return in March, reach maturity in April, and are mostly dry by mid-May.

Plant species listed in the text have been collected at the Range during the past 23 years. Standards of abundance for herbaceous vegetation are as follows:

Abundant -- species appears on at least 75 percent of sample quadrats.^{1/} Only 3 species fall in this category.

Very common -- species appears on at least 15 percent of sample quadrats. There are 18 species in this category.

Common -- species appears on at least 1 sample quadrat.

Uncommon -- species appears each year on the Range and in most pastures, but infrequently in pasture samples.

Rare -- species appears in 1 or 2 locations on the Range, or in especially favorable years, but seldom if ever in herbage samples.

All plant species listed herein were identified by the Division of Range Management Research, U. S. Forest Service, Washington, D. C. The following authority was used for recent changes in nomenclature:

Abrams, Leroy. 1951. Illustrated Flora of the Pacific States. Stanford University Press, Stanford, California.

Botanical names in parentheses are synonyms which have been used at the Range. The following source was used for common names:

Kelsey, H. P., and Dayton, W. A. 1942. Standardized Plant Names. Second Edition. J. Horace McFarland Co., Harrisburg, Pennsylvania. 675 p.

Locally well established common names are also listed for some plants.

INDEX

<u>Species</u>	<u>Family</u>	<u>Page</u>
Grasses and grass-like plants		1
Cyperaceae	Sedge	4
Gramineae	Grass	1
Juncaceae	Rush	5
Lemnaceae	Duckweed	5
Typhaceae	Cattail	1
Forbs		6
Aizoaceae	Carpetweed	8
Amaranthaceae	Amaranth	8
Asclepiadaceae	Milkweed	19
Boraginaceae	Borage	21
Campanulaceae	Bellflower	25
Caryophyllaceae	Chickweed	9
Chenopodiaceae	Goosefoot	8
Compositae	Sunflower	26
Crassulaceae	Stonecrop	12
Cruciferae	Mustard	11
Curcurbitaceae	Gourd	17
Datistaceae	Datisca	17
Euphorbiaceae	Spurge	16
Gentianaceae	Gentian	19
Geraniaceae	Geranium	15
Hydrophyllaceae	Phacelia	20
Labiatae	Mint	22
Leguminosae	Pea	13
Liliaceae	Lily	6
Limnanthaceae	Meadowfoam	16
Linaceae	Flax	15
Loasaceae	Loasa	17
Lobeliaceae	Lobelia	25
Lythraceae	Loosestrife	17
Malvaceae	Mallow	17
Onagraceae	Evening primrose	17
Oxalidaceae	Oxalis	15
Papaveraceae	Poppy	10
Plantaginaceae	Plantain	25
Polemoniaceae	Phlox	20
Polygonaceae	Buckwheat	7
Polypodiaceae	Fern	6
Portulacaceae	Purslane	9
Primulaceae	Primrose	19
Ranunculaceae	Buttercup	10
Rosaceae	Rose	12
Rubiaceae	Madder	25

<u>Species</u>	<u>Family</u>	<u>Page</u>
Forbs (Continued)		
Saxifragaceae	Saxifrage	12
Scrophulariaceae	Figwort	23
Solanaceae	Nightshade	23
Umbelliferae	Parsley	18
Valerianaceae	Valerian	25
Verbenaceae	Verbena	22
Zygophyllaceae	Caltrops	16
Woody plants		30
Anacardiaceae	Sumac	30
Caprifoliaceae	Honeysuckle	32
Ericaceae	Heath	31
Fagaceae	Oak	30
Hydrophyllaceae	Phacelia	31
Loranthaceae	Mistletoe	30
Pinaceae	Pine	30
Rhamnaceae	Buckthorn	31
Rubiaceae	Madder	32
Salicaceae	Willow	30
Sapindaceae	Buckeye	31

GRASSES AND GRASS-LIKE PLANTS

Botanical and common name	:	Occurrence	:	Habitat
	:		:	

TYPHACEAE Cattail family

Typha latifolia L.
Common cattail
Broad-leaved cattail

GRAMINEAE Grass family

Aira caryophyllea L.
(Aspris caryophyllea Nash)
Silver hairgrass

Avena barbata Brot.
Slender wild oat

Avena fatua L.
Wild oat

Briza minor L.
Little quakinggrass

Bromus arenarius Labill.
Australian brome

Bromus mollis L.
(Bromus hordeaceus L.)
Soft brome or chess

Bromus rigidus Roth.
Ripgut brome

Bromus rubens L.
Foxtail brome
Red brome

Cynodon dactylon (L.) Pers.
Bermuda grass

Deschampsia danthonioides
(Trin.) Munro ex Benth.
Annual hairgrass

Digitaria sanguinalis (L.) Scop.
(Syntherisma sanguinalis Dulae,
Fl. Haut.)
Hairy crabgrass

GRASSES AND GRASS-LIKE PLANTS

Botanical and common name	:	Occurrence	:	Habitat
<u>Distichlis stricta</u> (Torr.) Rydb. Inland saltgrass		Rare		Creek bank
<u>Elymus triticoides</u> Buckl. Creeping wildrye Beardless wildrye		Rare		Dry swale
<u>Eragrostis ciliaris</u> (All.) Lutati Stinkgrass		Rare		Barnyard and garden
<u>Eragrostis diffusa</u> Buckl. Spreading lovegrass		Rare		Barnyard
<u>Festuca confusa</u> Piper Klickitat fescue Hairy-leaved fescue		Uncommon		Slope
<u>Festuca grayi</u> (Abrams) Piper Gray's fescue		Common		Slope, especially south
<u>Festuca megalura</u> Nutt. Foxtail fescue		Abundant		Slope, all exposures and dry swale
<u>Festuca pacifica</u> Piper Pacific fescue		Uncommon		Slope, especially north
<u>Festuca reflexa</u> Buckl. Twoflower fescue		Uncommon		Slope, especially south
<u>Gastridium ventricosum</u> (Gouan) Schinz and Thell Nitgrass		Common		Slope, on shallow soil
<u>Hordeum brachyantherum</u> Nevski (<u>Hordeum nodosum</u> L.) Meadow barley		Uncommon		Dry swale
<u>Hordeum hystrix</u> Roth. (<u>Hordeum gussonianum</u> Parl.) Mediterranean barley		Very common		Wet swale

GRASSES AND GRASS-LIKE PLANTS

Botanical and common name	:	Occurrence	:	Habitat
<u>Hordeum leporinum</u> Link (<u>Hordeum murinum</u> L.)		Common		Disturbed soil or lower slope
Mouse barley				
Common foxtail				
<u>Koeleria phleoides</u> (Vill.) Pers.	Rare		Swale	
Annual koeleria				
<u>Lolium multiflorum</u> Lam.	Seeded		Swale and lower slope	
Italian ryegrass				
Annual ryegrass				
<u>Melica californica</u> Scribn.	Uncommon		Rock outcrop	
California melicgrass				
<u>Melica imperfecta</u> Trin.	Uncommon		Rock outcrop	
Coastrange melicgrass				
Small-flowered melicgrass				
<u>Oryzopsis miliacea</u> (L.) Benth.	Seeded		Lower slope	
Smilo				
<u>Panicum capillare</u> <u>occidentale</u>	Uncommon		Swale	
Rydb.				
Common witchgrass				
<u>Phalaris californica</u> Hook. and Arn.	Rare			
California canarygrass				
<u>Phalaris caroliniana</u> Walt.	Uncommon		Wet swale	
Carolina canarygrass				
<u>Phalaris coerulescens</u>	Seeded		Lower slope and swale	
Sunol grass				
<u>Phalaris tuberosa</u> <u>stenoptera</u>	Seeded		Swale	
(Hack.) Hitchc.				
Hardinggrass				
<u>Poa annua</u> L.	Common		Swale	
Annual bluegrass				

GRASSES AND GRASS-LIKE PLANTS

Botanical and common name	:	Occurrence	:	Habitat
	:		:	
<u>Poa scabrella</u> (Thurb.) Benth. ex Vassey Pine bluegrass		Common		Slope, especially north
<u>Polypogon monspeliensis</u> (L.) Desf. Rabbitfoot polypogon Beardgrass		Common		Creekbed
<u>Scribnaria bolanderi</u> (Thurb.) Hack. Scribnaria		Rare		Slope
<u>Setaria viridis</u> (L.) Beauv. Green bristlegrass		Uncommon		Gardens
<u>Sorghum halepense</u> (L.) Pers. Johnsongrass		Rare		Swale
<u>Stipa cernua</u> Stebbins and Love. Nodding stipa		Seeded		Slope
<u>Stipa pulchra</u> Hitchc. California needlegrass Purple stipa		Seeded		Slope

CYPERACEAE Sedge family

<u>Cyperus inflexus</u> Muhl. Flatsedge Awned cyperus		Uncommon	Creekbed
<u>Cyperus vegetus</u> Willd. (<u>Cyperus virens</u>) Green flatsedge Tall cyperus		Uncommon	Creekbed
<u>Eleocharis macrostachya</u> Britton (<u>Eleocharis palustris</u> R. and S.) Spikesedge Common spikerush		Common	Wet swale

GRASSES AND GRASS-LIKE PLANTS

Botanical and common name	:	Occurrence	:	Habitat
	:		:	

LEMNACEAE Duckweed family

<u>Lemna</u> sp.	Uncommon	Seep
Duckweed		

JUNCACEAE Rush family

<u>Juncus bufonius</u> L.	Common	Dry swale
Toad rush		

<u>Juncus oxymeris</u> Engelm.	Common	Wet swale
Slenderleaf rush		
Pointed rush		

<u>Juncus macrophyllus</u> Coville	Common	Wet swale
Long-leaved rush		

FORBS

Botanical and common name	:	Occurrence	:	Habitat
	:		:	

POLYPODIACEAE Fern family

<u>Pityrogramma triangularis</u> (Kaulf.) Maxon (<u>Gymnogramme triangularis</u> Kaulf.) Goldfern	Common	Shaded rock outcrop
<u>Pellaea mucronata</u> (D.C. Eaton) D.C. Eaton Birdsfoot cliffbrake	Common	Shaded rock outcrop

LILIACEAE Lily family

<u>Allium hyalinum</u> Curran Eldorado onion Paper-flowered onion	Uncommon	Slope
<u>Brodiaea capitata</u> Benth. (<u>Dichelostemma capitatum</u> [Benth.] Wood) Bluedicks brodiaea Common brodiaea	Very common	Slope
<u>Brodiaea coronaria</u> (Salisb.) Engler Harvest brodiaea	Common	Swale and lower slope
<u>Brodiaea laxa</u> (Benth.) Wats. (<u>Triteleia laxa</u> Benth.) Grassnut brodiaea	Uncommon	Slope
<u>Brodiaea volubilis</u> (Kell.) Baker (<u>Dichelostemma californicum</u> [Torr.] Wood) Vine brodiaea Twining brodiaea Snake lily	Uncommon	Steep rocky slope
<u>Calochortus luteus</u> Dougl. Yellow mariposa	Uncommon	Slope

FORBS

Botanical and common name	:	Occurrence	:	Habitat
	:		:	
<u>Calochortus luteus oculatus</u> Wats. Mariposa		Uncommon		Slope
<u>Chlorogalum pomeridianum</u> (DC.) Kunth.		Common		Rock outcrop
Common soapplant Amole soapplant				
<u>Muilla tenuis</u> Congdon (<u>Muilla maritima</u> [Torr.] Wats.)		Common		Slope
Muilla Common muilla				

POLYGONACEAE Buckwheat family

<u>Chorizanthe membranacea</u> Benth. Pink chorizanthe Spineflower	Common	Slope, on shallow soil
<u>Chorizanthe stellulata</u> Benth. Starlet chorizanthe Spineflower	Common	Slope, on shallow soil
<u>Eriogonum gracillimum</u> Wats. Slender eriogonum	Uncommon	Slope
<u>Eriogonum nudum</u> Benth. Barestem eriogonum	Uncommon	Slope
<u>Eriogonum virgatum</u> Benth. Virgate eriogonum	Common	Slope
<u>Polygonum aviculare</u> L. Prostrate knotweed Knotweed Knotgrass	Uncommon	Barnyard and gardens
<u>Polygonum punctatum</u> Elliot (<u>Polygonum acre</u> H.B.K.) Dotted smartweed Water smartweed	Uncommon	Creekbed

FORBS

Botanical and common name	:	Occurrence	:	Habitat
	:		:	

<u>Pterostegia drymariooides</u> Fisch. and Mey. Pterostegia	Common	Shaded slope
<u>Rumex crispus</u> L. Curly dock	Common	Creekbed

CHENOPODEACEAE Goosefoot family

<u>Chenopodium album</u> L. Lambsquarters goosefoot	Uncommon	Disturbed soil
<u>Chenopodium ambrosioides</u> <u>chilense</u> (Schrad.) Spegaz. Wormseed goosefoot Pigweed	Uncommon	Disturbed soil
<u>Chenopodium leptophyllum</u> Nutt. Slimleaf goosefoot	Common	Disturbed soil
<u>Chenopodium pumilio</u> R. Br. Goosefoot	Uncommon	Disturbed soil

AMARANTHACEAE Amaranth family

<u>Amaranthus graecizans</u> L. Tumbleweed amaranthus Tumbling pigweed	Uncommon	Disturbed soil
<u>Amaranthus retroflexus</u> L. Redroot amaranthus Rough pigweed	Uncommon	Disturbed soil

AIZOACEAE Carpetweed family

<u>Mollugo verticillata</u> L. Carpetweed Indian chickweed	Uncommon	Seep
--	----------	------

FORBS

Botanical and common name	:	Occurrence	:	Habitat
	:		:	

PORTULACACEAE Purslane family

<u>Calindrina caulescens</u> menziesii Gray (<i>C. ciliata</i> var. <i>menziesii</i> [Hook.] J.F.Macbride) Redmaids	Very common	Slope
<u>Montia fontana</u> L. Indian lettuce Water chickweed	Common	Wet swale
<u>Montia perfoliata</u> (Donn.) Howell Indian lettuce Miners' lettuce	Common	Shaded slope
<u>Portulaca oleracea</u> L. Common purslane	Uncommon	Gardens

CARYOPHYLLACEAE Chickweed family

<u>Arenaria douglasii</u> Fenzl. Douglas sandwort	Uncommon	Slope
<u>Cerastium viscosum</u> L. Sticky cerastium Mouse-ear chickweed	Common	Lower slope
<u>Herniaria cinerea</u> DC. Gray burstwort Gray herniaria	Uncommon	Slope
<u>Sagina apetala barbata</u> Fenzl. Dwarf pearlwort	Uncommon	Slope
<u>Silene gallica</u> L. French silene Common catchfly Windmill pink	Very common	Slope
<u>Spergula arvensis</u> L. Corn spurry	Uncommon	Lower slope and dry swale

FORBS

Botanical and common name	:	Occurrence	:	Habitat
	:		:	

Spergularia marina (L.) Griseb. Uncommon Lower slope
(S. salina J. and C.)
 Saltmarsh sand spurry

Stellaria media (L.) Cyrill. Common Lower slope
 Chickweed

RANUNCULACEAE Buttercup family

Delphinium decorum patens Uncommon Slope, especially north
 (Benth.) Gray
 Yellowtinge larkspur
 Coast larkspur

Delphinium hansenii Greene Common Shaded lower slope
 Hansen larkspur

Ranunculus aquatilis L. Common Creekbed
 (R. aquatilis var. capillaceus
 [Thuill.] DC.)
 Watercrowfoot buttercup
 Water buttercup

Ranunculus californicus Benth. Common Wet swale
 California buttercup

Ranunculus hebecarpus Hook. and Arn. Uncommon Shady slope
 Pubescent-fruited buttercup

PAPAVERACEAE Poppy family

Eschscholtzia caespitosa Benth. Uncommon Slope, especially south
 Gold poppy

Eschscholzia californica Cham. Common Slope, especially south
 California poppy

Eschscholzia lobbii Greene Common Slope
 Fryingpans

FORBS

Botanical and common name	:	Occurrence	:	Habitat
	:		:	
<u>Papaver heterophyllum</u> (Benth.) Greene Wind poppy		Uncommon		Shady north slope
<u>Platystemon californicus</u> Benth. Creamcups platystemon		Common		Creekbank

CRUCIFERAE Mustard family

<u>Arabis maxima</u> Greene (<u>Arabis arcuata</u> Gray (<u>Arabis holboellii</u> var. <u>arcuata</u> Jepson) Rockcress		Uncommon		Rocky slope
<u>Athysanus pusillus</u> (Hook.) Greene Dwarf athysanus		Common		Slope
<u>Capsella bursa-pastoris</u> (L.) Medic. Shepherdspurse		Common		Slope
<u>Lepidium nitidum</u> Nutt. Tongue pepperweed Shining peppergrass		Common		Swale
<u>Radicula nasturtium-aquaticum</u> (L.) Britt. and Rendle Watercress		Uncommon		Seep
<u>Sinapis arvensis</u> L. (<u>Brassica arvensis</u> [L.] B.S.P.) Field charlock		Uncommon		Creekbank
<u>Streptanthus coulteri</u> (Wats.) Greene Twistflower		Common		Slope
<u>Streptanthus diversifolius</u> Wats. Varied-leaved streptanthus		Uncommon		Slope

FORBS

Botanical and common name	:	Occurrence	:	Habitat
	:		:	
<u>Streptanthus tortuosus</u> Kell. Mountain streptanthus		Uncommon		Slope
<u>Streptanthus heterophyllus</u> Nutt. San Diego streptanthus		Uncommon		Slope
<u>Thysanocarpus curvipes</u> Hook. Hairy fringepod		Common		Slope
<u>Tropidocarpum gracile</u> Hook. Dobie pod		Common		Slope
 <u>CRASSULACEAE</u> Stonecrop family				
<u>Tillaea erecta</u> Hook. and Arn. Sand pygmyweed		Very common		Slope
 <u>SAXIFRAGACEAE</u> Saxifrage family				
<u>Lithophragma heterophylla</u> (Hook. and Arn.) Torr. and Gray. Hillstar		Common		Shady north slope
<u>Saxifraga californica</u> Greene California saxifrage		Uncommon		Slope, especially north
<u>Saxifraga integrifolia</u> Hook. Hooker's saxifrage		Uncommon		Slope, especially north
 <u>ROSACEAE</u> Rose family				
<u>Alchemilla occidentalis</u> Nutt. (A. arvensis [L.] Scop.) Field ladysmantle Western ladysmantle		Common		Slope

FORBS

Botanical and common name	:	Occurrence	:	Habitat
	:		:	

LEGUMINOSAE Pea family

<u>Astragalus asymmetricus</u> Sheldon (<u>A. leucophyllus</u> Torr. and Gray) Woolyleaf loco San Joaquin locoweed	Rare	Slope
<u>Astragalus gambellianus</u> Sheldon (<u>A. nigrescens</u> Nutt.) Gambel's dwarf locoweed	Common	Slope, especially south
<u>Lotus americanus</u> (Nutt.) Bisch. (<u>Hosackia americana</u> [Nutt.] Piper) Spanish clover Deervetch	Very common	Lower slope
<u>Lotus argophyllus decorus</u> (Jtn.) Ottley (<u>Hosackia argophylla</u> Gray) Silver deervetch	Uncommon	Slope
<u>Lotus micranthus</u> Benth. (<u>Hosackia parviflora</u> Benth.) Littleflower deervetch	Uncommon	Slope
<u>Lotus scoparius</u> (Nutt.) Ottley (<u>Hosackia glabra</u> [Vogel] Torr.) Broom deervetch Deerweed	Uncommon	Slope, especially north
<u>Lotus strigosus</u> (Nutt.) Greene (<u>Hosackia strigosa</u> Nutt.) Fine-leaved deervetch	Common	Slope, especially south
<u>Lotus subpinnatus</u> Lag. (<u>Hosackia subpinnata</u> [Lag.] Torr. and Gray) Chilean deervetch Hairy lotus	Common	Slope
<u>Lupinus albifrons</u> Benth. Whiteface lupine Bush lupine	Common	Rocky slope

FORBS

Botanical and common name	: Occurrence	: Habitat
<u>Lupinus benthami</u> Hel. Spider lupine Bentham's lupine	Common	Slope
<u>Lupinus bicolor</u> Lindl. Bicolor lupine Ground lupine	Very common	Slope
<u>Lupinus densiflorus</u> Benth. Gully lupine Dense-flowered lupine	Uncommon	Slope
<u>Lupinus formosus</u> Greene Lunaria lupine Summer lupine	Common	Slope
<u>Lupinus nanus</u> Dougl. Sky lupine	Uncommon	Slope
<u>Medicago apiculata</u> Willd. Smoothbur medic	Uncommon	Lower slope and dry swale
<u>Medicago hispida</u> Gaertn. California burclover	Uncommon, except as seeded	Lower slope and dry swale
<u>Trifolium albopurpureum</u> Torr. and Gray. Rancheria clover Indian clover	Uncommon	Slope
<u>Trifolium amplexens</u> Torr. and Gray. Bladder clover Pale sack clover	Uncommon	Slope
<u>Trifolium ciliolatum</u> Benth. (<u>Trifolium ciliatum</u> Nutt.) Foothill clover Tree clover	Common	Lower slope
<u>Trifolium depauperatum</u> Depauperate clover Dwarf sack clover	Uncommon	Slope

FORBS

Botanical and common name	:	Occurrence	:	Habitat
	:		:	
<u>Trifolium dichotomum</u> Hook. and Arn. Branched Indian clover		Uncommon		Slope, especially north
<u>Trifolium hirtum</u> All. Rose clover		Where seeded		Lower slope
<u>Trifolium incarnatum</u> Crimson clover		Where seeded		Dry swale
<u>Trifolium microcephalum</u> Pursh. Littlehead clover		Very common		Slope
<u>Trifolium obtusiflorum</u> Hook. Clammy clover Creek clover		Uncommon		Creekbed
<u>Trifolium subterraneum</u> Subterranean clover		Where seeded		Dry swale
<u>Trifolium tridentatum</u> Lindl. Tomcat clover		Common		Lower slope
<u>Trifolium variegatum</u> Nutt. Whitetip clover		Very common		Wet swale
<u>LINACEAE</u> Flax family				
<u>Linum usitatissimum</u> L. Common flax		Uncommon		Slope
<u>OXALIDACEAE</u> Oxalis family				
<u>Oxalis corniculata</u> L. Creeping oxalis Wood sorrel		Uncommon		Gardens and shaded slope
<u>GERANIACEAE</u> Geranium family				
<u>Erodium botrys</u> Bertol. Big heronbill Broadleaf filaree		Abundant		Slope and dry swale

FORBS

Botanical and common name	:	Occurrence	:	Habitat
	:		:	
<u>Erodium cicutarium</u> L'Her.	Common		Lower slope	
Alfileria				
Redstem filaree				
<u>Erodium obtusiplicatum</u> (Maire, Weiller and Wilczek) J.T. Howell	Very common		Slope	
(<u>E. botrys</u> f. <u>montanum</u> Brumhard)				
Big heronbill				
Broadleaf filaree				
<u>Erodium moschatum</u> L'Her.	Uncommon		Lower slope	
Musk heronbill				
Whitestem filaree				
<u>Geranium carolinianum</u> L.	Uncommon		Lower slope	
Carolina geranium				
<u>Geranium sphaerospermum</u> Fern.	Uncommon		Lower slope	
Geranium				

LIMNANTHACEAE Meadowfoam family

<u>Limnanthes douglasii</u> R. Br.	Common	Creekbank
Douglas meadowfoam		
<u>Limnanthes montana</u>	Uncommon	Creekbank
Mountain meadowfoam		

EUPHORBIACEAE Spurge family

<u>Euphorbia ocellata</u> D. and H.	Common	Slope
Euphorbia		

ZYGOHYLLACEAE Caltrops family

<u>Tribulus terrestris</u> L.	Rare	Disturbed soil
Puncturevine		
Goathead		

FORBS

Botanical and common name	:	Occurrence	:	Habitat
	:		:	

MALVACEAE Mallow family

<u>Malva parviflora</u> L. Little mallow Cheeseweed	Uncommon	Disturbed soil
<u>Sidalcea hartwegii</u> Gray Checkermallow	Common	Lower slope and swale

LOASACEAE Loasa family

<u>Mentzelia lindleyi</u> T. and G. Lindley mentzelia	Rare	Slope, especially south
--	------	----------------------------

DATISCACEAE Datisca family

<u>Datisca glomerata</u> Brew. and Wats. Durangoroot	Rare	Creekbed
---	------	----------

CUCURBITACEAE Gourd family

<u>Cucurbita foetidissima</u> H.B.K. Calabazilla	Rare	Slope
<u>Echinocystis fabacea</u> Naud. Mockcucumber	Common	Slope, climbing on shrubs
<u>Echinocystis macrocarpa</u> Greene Chilicothe mockcucumber	Common	Slope, climbing on shrubs

LYTHRACEAE Loosestrife family

<u>Lythrum hyssipifolia</u> L. Hyssop lythrum Loosestrife	Common	Swale, especially on disturbed soil
---	--------	---

ONAGRACEAE Evening primrose family

<u>Boisduvalia densiflora</u> (Lindl.) Wats. Dense spikeprimrose	Uncommon	Swale
--	----------	-------

FORBS

Botanical and common name	:	Occurrence	:	Habitat
	ε		ε	
<u>Boisduvalia stricta</u> (Gray) Greene Brook spikeprimrose		Uncommon		Swale
<u>Epilobium paniculatum</u> Nutt. Autumn willowweed		Uncommon		Slope
<u>Clarkia dudleyana</u> Abrams (<u>Godetia dudleyana</u> Abrams) Dudley's godetia		Common		Slope, especially north
<u>Clarkia elegans</u> Dougl. Rose clarkia		Common		Slope, especially north
<u>Clarkia nitens</u> Lewis and Lewis (<u>Godetia nitens</u>) Clarkia		Common		Slope
<u>Clarkia purpurea quadrivulnera</u> (Dougl.) Lewis and Lewis (<u>Godetia quadrivulnera</u> [Dougl.] Spach.) Clarkia		Uncommon		Slope
<u>Clarkia williamsonii</u> (Durand and Hilgard) Lewis and Lewis (<u>Godetia viminea</u> Spach.) Orchid godetia		Common		Slope, especially north
<u>Oenothera dentata</u> Cav. Field primrose		Common		Slope, especially south
<u>Oenothera graciliflora</u> Hook. and Arn. Slender primrose		Common		Lower slope

UMBELLIFERAE Parsley family

<u>Daucus pusillus</u> Michx. Southwestern carrot Rattlesnake weed	Common	Slope
<u>Eryngium globosum</u> Jepson Button snakeweed	Common	Swale

FORBS

Botanical and common name	:	Occurrence	:	Habitat
<u>Lomatium utriculatum</u> (Nutt.) Colt and Rose (<u>Cogswellia</u>) Common lomatium		Uncommon		Slope, especially north
<u>Perideridia pringlei</u> (C. and R.) Nels. and Macbr. (<u>Eulophus pringlei</u> C. and R.) Pringle's yampah		Rare		Slope
<u>Sanicula bipinnatifida</u> Dougl. Purple sanicle		Common		Slope
<u>Sanicula tuberosa</u> Torr. Tuber sanicle		Common		Rock outcrop
<u>PRIMULACEAE</u> Primrose family				
<u>Dodecatheon patulum</u> Greene Dwarf shootingstar		Uncommon		Shaded slope
<u>GENTIANACEAE</u> Gentian family				
<u>Centaureum venustum</u> (Gray) Rob. Pink centaurium		Common		Dry swale
<u>ASCLEPIADACEAE</u> Milkweed family				
<u>Asclepias cordifolia</u> (Benth.) Jepson Purple milkweed		Uncommon		Slope
<u>Asclepias mexicana</u> Cav. Mexican milkweed		Uncommon		Dry swale or lower slope
<u>Asclepias vestita</u> Hook. and Arn. Wooly milkweed		Common		Slope

FORBS

Botanical and common name	:	Occurrence	:	Habitat
	:		:	

POLEMONIACEAE Phlox family

<u>Eriastrum pluriflorum</u> (Heller) H. L. Mason (<u>Gilia brauntonii</u> Jepson and Mason) Gilia	Uncommon	Slope, on shallow soil
<u>Gilia capitata</u> Dougl. Globe gilia	Uncommon	Slope
<u>Gilia tricolor</u> Benth. Birdseye gilia	Very common	Slope
<u>Linanthus bicolor</u> (Nutt.) Greene Bicolored linanthus	Common	Slope
<u>Linanthus ciliatus</u> (Benth.) Greene Bristly-leaved linanthus	Common	Slope
<u>Linanthus dichotomus</u> Benth. Eveningsnow linanthus	Uncommon	Slope, especially north
<u>Linanthus filipes</u> (Benth.) Greene Filiform linanthus	Common	Slope, on shallow soil
<u>Linanthus serrulatus</u> Greene Madera linanthus	Uncommon	Slope, especially north
<u>Navarretia pubescens</u> (Benth.) Hook. and Arn. Downy navarretia	Common	Slope, on shallow soil

HYDROPHYLACEAE Phacelia family

<u>Nemophila aurita</u> Lindl. Purple nemophila	Uncommon	Shaded slope
<u>Nemophila heterophylla</u> F. and M. Small white nemophila	Common	Shaded slope

FORBS

Botanical and common name	:	Occurrence	:	Habitat
	:		:	
<u>Nemophila maculata</u> Benth. Spotted nemophila Fivespot nemophila		Uncommon		Creekbank
<u>Nemophila menziesii</u> Hook. and Arn. Babyblue-eyes nemophila		Common		Lower slope
<u>Phacelia californica</u> Cham. California phacelia		Uncommon		Rock outcrop
<u>Phacelia hispida</u> Gray Caterpillar phacelia		Common		Rock outcrop
<u>Phacelia platyloba</u> Gray Broadlobed phacelia		Uncommon		Shaded slope

BORAGINACEAE Borage family

<u>Allocarya trachycarpa</u> (Gray) Greene Rough-fruited allocarya	Common	Wet swale
<u>Amsinckia douglasiana</u> DC. Douglas fiddleneck	Common	Shaded slope
<u>Amsinckia intermedia</u> Fisch. and Mey. Fireweed fiddleneck	Common	Slope
<u>Amsinckia retrorsa</u> Suksd. Rigid fiddleneck Harvest fireweed	Uncommon	Slope
<u>Cryptantha flaccida</u> (Dougl.) Greene Cryptantha	Common	Slope
<u>Cryptantha hooveri</u> I. M. Johnston Hoover's cryptantha	Uncommon	Slope
<u>Heliotropium curassauicum</u> L. Salt heliotrope	Rare	Disturbed soil

FORBS

Botanical and common name	:	Occurrence	:	Habitat
	:		:	
<u>Plagiobothrys canescens</u> Benth. Valley popcornflower		Common		Lower slope and dry swale
<u>Plagiobothrys nothofulvus</u> Gray Redstain popcornflower		Very common		Slope and dry swale
<u>Plagiobothrys tenellus</u> Gray Slender popcornflower		Common		Slope, on shallow soil

VERBENACEAE Verbena family

<u>Verbena lasiostachys</u> Link. (<u>Verbena prostrata</u> R. Br.) Western verbena	Uncommon	Slope
--	----------	-------

LABIATAE Mint family

<u>Marrubium vulgare</u> L. Common hoarhound	Uncommon	Disturbed soil
<u>Monardella candicans</u> Benth. Sierra monardella	Common	Swale
<u>Monardella lanceolata</u> Gray Mustang mint	Uncommon	Swale
<u>Pogogyne douglasii</u> Benth. Douglas pogogyne	Common	Swale
<u>Salvia carduacea</u> Benth. Thistle sage	Common	Slope
<u>Salvia columbariae</u> Benth. California chia	Uncommon	Shaded slope
<u>Scutellaria bolanderi</u> Gray Bolander's skullcap	Uncommon	Wet swale and seeps
<u>Scutellaria tuberosa</u> Benth. Tuberous skullcap	Uncommon	Shaded slope

FORBS

Botanical and common name	:	Occurrence	:	Habitat
	:		:	

Stachys albens Gray
Whitehedge nettle Uncommon Seeps

Trichostema lanceolatum Benth.
Vinegar bluecurls Common Slope

Trichostoma oblongum Benth.
Mountain bluecurls Uncommon Swale

SOLANACEAE Nightshade family

Datura meteloides DC.
Sacred datura Uncommon Disturbed soil
Tolguacha

Nicotiana attenuata Torr.
Coyote tobacco Uncommon Disturbed soil
or swale

Solanum nigrum L.
Black nightshade Rare Lower slope

Solanum xanthi Gray
Purple nightshade Uncommon Lower slope

SCROPHULARIACEAE Figwort family

Antirrhinum cornutum Benth.
Spurred snapdragon Uncommon Slope, especially
south

Collinsia bartsiaeifolia Benth.
Seaside collinsia Uncommon Slope

Collinsia bicolor Benth.
Pagoda collinsia
Chinese houses Common Shaded slope

Collinsia tinctoria Hartw.
Brownstain collinsia
Sticky Chinese houses Uncommon Shaded creekbed

FORBS

Botanical and common name	:	Occurrence	:	Habitat
	:	%	:	%
<u>Cordylanthus compactus</u> Pennell Muleweed		Uncommon		Rocky slope
<u>Mimulus pilosus</u> (Benth.) Wats. Downy mimulus		Uncommon		Lower slope
<u>Mimulus bolanderi</u> Gray Tobacco mimulus		Uncommon		Shaded slope
<u>Mimulus floribundus</u> Dougl. Monkeyflower		Uncommon		Wet swale
<u>Mimulus nasutus</u> Greene (<u>Mimulus guttatus nasutus</u> Jepson) Common monkeyflower		Common		Wet swale
<u>Mimulus nanus</u> Hook. and Arn. Dwarf monkeyflower		Uncommon		Slope
<u>Mimulus viscidus</u> Congdon. Viscid monkeyflower		Uncommon		Slope
<u>Mimulus pictus</u> (Curran) Gray Painted monkeyflower		Uncommon		Slope
<u>Orthocarpus erianthus micranthus</u> (Gray) Jepson Johnnytuck owlclover		Common		Slope
<u>Orthocarpus linearilobus</u> Benth. Pallid owlclover		Common		Slope
<u>Orthocarpus purpurascens</u> Benth. Escobita owlclover Common owlclover		Common		Slope
<u>Penstemon breviflorus</u> Lindl. Stubflower penstemon		Common		Rocky slope
<u>Scrophularia californica</u> Cham. and Sch. California figwort		Uncommon		Rock outcrop

FORBS

Botanical and common name	Occurrence	Habitat
---------------------------	------------	---------

Verbascum blattaria L. Rare Lower slope
Moth mullein

PLANTAGINACEAE Plantain family

Plantago erecta Morris Very common Slope
Dotseed plantain

RUBIACEAE Madder family

Galium aparine L. Common Shaded slope
Catchweed bedstraw or swale

VALERIANACEAE Valerian family

Plectritis ciliosa (Greene) Common Shady lower slope
Jepson or creekbank
Plectritis

Plectritis macrocera T. and G. Uncommon Shady lower
Longhorn plectritis slope

CAMpanulaceae Bellflower family

Githopsis specularioides Nutt. Uncommon Slope
Githopsis

LOBELIACEAE Lobelia family

Downingia bicornuta Gray Uncommon Wet swale
Downingia

Nemacladus rigidus interior Uncommon Lower slope
Munz or swale

FORBS

Botanical and common name	Occurrence	Habitat
COMPOSITAE Sunflower family		
<u>Achillea lanulosa</u> L. Western yarrow	Uncommon	Lower slope
<u>Agoseris heterophylla</u> (Nutt.) Greene Annual agoseris	Common	Slope
<u>Anaphalis margaritacea</u> (L.) B. and H. Common pearleverlasting	Uncommon	Rocky slope
<u>Baeria chrysostoma gracilis</u> Hall Branchy goldfields	Very common	Slope
<u>Baeria uliginosa</u> (Nutt.) Gray Goldfields	Uncommon	Slope
<u>Balsamorhiza deltoidea</u> Nutt. Balsamroot	Rare	North slope
<u>Bidens frondosa</u> L. Devils beggarticks	Uncommon	Lower slope
<u>Brickellia californica</u> T. and G. Californica brikkellia	Uncommon	Rocky slope
<u>Calycadenia mollis</u> Gray Rosinweed	Common	Slope
<u>Calycadenia multiglandulosa</u> DC. Rosinweed	Common	Slope
<u>Calycadenia villosa</u> DC. Rosinweed	Uncommon	Slope
<u>Centaurea melitensis</u> L. Malta centaurea Tocalote Napa thistle	Common	Slope
<u>Centromadia pungens</u> (T. and G.) Greene Common spikeweed	Uncommon	Lower slope

FORBS

Botanical and common name	:	Occurrence	:	Habitat
	:		:	
<u>Chaenactis glabriuscula</u> DC. Chaenactis		Common		Slope
<u>Cirsium occidentale</u> (Nutt.) Jepson Western thistle		Common		Slope
<u>Coreopsis bigelovii</u> (Gray) Hall Bigelow coreopsis		Uncommon		Shaded slope
<u>Coreopsis douglasii</u> (DC.) Hall Douglas coreopsis		Uncommon		Shaded slope
<u>Coreopsis stillmani</u> (Gray) Jepson Stillman coreopsis		Uncommon		Shaded slope
<u>Erigeron canadensis</u> L. Horseweed fleabane		Uncommon		Disturbed soil
<u>Erigeron foliosus stenophyllum</u> (Nutt.) Gray Leafy fleabane		Uncommon		Rocky slope
<u>Eriophyllum confertiflorum</u> Gray Goldenarrow eriophyllum		Common		Rocky slope
<u>Evax caulescens</u> Benth. Evax		Uncommon		Slope, on shallow soil
<u>Filago gallica</u> L. Fluffweed		Common		Slope
<u>Gnaphalium californicum</u> Gray California everlasting		Uncommon		Rocky slope
<u>Gnaphalium palustre</u> Nutt. Lowland cudweed		Uncommon		Lower slope
<u>Grindelia camporum</u> Greene Field gumweed		Uncommon		Slope, especially south

FORBS

Botanical and common name	:	Occurrence	:	Habitat
<u>Hemizonia heermannii</u> (<u>Hemizonia virgata</u> heermannii Jepson) Yellow tarweed		Very common		Lower slope and swale
<u>Hemizonia kelloggii</u> Greene (<u>Hemizonia wrightii</u> Gray) Wright's tarweed		Common		Rocky slope
<u>Hypochoeris glabra</u> L. Smooth catsear		Very common		Lower slope and dry swale
<u>Lactuca serriola</u> (<u>Lactuca scariola</u> L.) Prickly lettuce		Uncommon		Disturbed soil
<u>Layia gaillardioides</u> Hook. and Arn. Layia		Common		Shady slope
<u>Layia pentachaeta hansenii</u> (Jepson) Keck Layia Tidytips		Common		Shady slope
<u>Lessingia germanorum vallicola</u> Cham. Lessingia		Common		Slope
<u>Lessingia</u> sp. Lessingia		Common		Slope
<u>Madia elegans densifolia</u> Jepson Madia		Uncommon		Creekbed
<u>Matricaria matricariooides</u> (Less.) Porter Pineappleweed		Uncommon		Disturbed soil
<u>Micropus californicus</u> F. and M. Micropus		Common		Slope, on shallow soil
<u>Pentachaeta exilis</u> Gray Pentachaeta		Common		Slope, on shallow soil

FORBS

Botanical and common name	:	Occurrence	:	Habitat
	:		:	
<u>Senecio douglasii</u> DC. Douglas groundsel		Uncommon		Slope
<u>Silybum marianum</u> (L.) Gaertn. Milkthistle		Rare		Creekbank
<u>Stephanomeria pauciflora</u> (Torr.) Nels. Wirelettuce		Uncommon		Slope
<u>Uropappus lindeyi</u> Nutt. Uropappus		Uncommon		Lower slope
<u>Xanthium canadense</u> Mill. Cocklebur		Uncommon		Creekbed

WOODY PLANTS

Botanical and common name	:	Occurrence	:	Habitat
	:		:	

PINACEAE Pine family

<u>Pinus sabiniana</u> Dougl. Digger pine	Very common	Slope
--	-------------	-------

SALICACEAE Willow family

<u>Populus fremontii</u> Wats. Fremont cottonwood	Uncommon	Creekbank
<u>Salix laevigata</u> Bebb. Red willow	Uncommon	Creekbank

FAGACEAE Oak family

<u>Quercus douglasii</u> Hook. and Arn. Blue oak	Very common	Slope
<u>Quercus morehus</u> Kell. Oracle oak	Rare	Slope
<u>Quercus wislizenii</u> DC. Interior live oak	Very common	Slope

LORANTHACEAE Mistletoe family

<u>Arceuthobium campylopodum</u> Engelm. Western dwarf mistletoe Pine mistletoe	Common	Parasitic on digger pine
<u>Phoradendron villosum</u> Nutt. Common mistletoe	Very common	Parasitic on blue oak and live oak

ANACARDIACEAE Sumac family

<u>Rhus diversiloba</u> T. and G. Pacific poisonoak	Common	Rocky slope
--	--------	-------------

WOODY PLANTS

Botanical and common name	:	Occurrence	:	Habitat
	:		:	
<u>Rhus trilobata</u> Nutt.		Rare		Slope
Skunkbush sumac				
Squawbush				
 <u>SAPINDACEAE</u>	Buckeye family			
<u>Aesculus californica</u> (Spach) Nutt.	Common			Slope
California buckeye				
 <u>RHAMNACEAE</u>	Buckthorn family			
<u>Ceanothus cuneatus</u> (Hook.) Nutt.	Very common			Slope, especially north
Buckbrush ceanothus				
Wedgeleaf ceanothus				
<u>Ceanothus leucodermis</u> Greene	Uncommon			Slope
(<u>Ceanothus divaricatus</u>)				
Chaparral whitethorn				
ceanothus				
<u>Rhamnus californica cuspidata</u>	Common			Slope
(Greene) Wolf				
California buckthorn				
California coffeeberry				
<u>Rhamnus crocea ilicifolia</u> Greene	Common			Slope
Hollyleaf buckthorn				
Redberry buckthorn				
 <u>ERICACEAE</u>	Heath family			
<u>Arctostaphylos mariposa</u> Dudley	Common			Rocky slope
Mariposa manzanita				
 <u>HYDROPHYLLACEAE</u>	Phacelia family			
<u>Eriodictyon californicum</u>	Uncommon			Slope
(Hook. and Arn.) Greene				
Yerba santa				

WOODY PLANTS

Botanical and common name	:	Occurrence	:	Habitat
	:		:	

RUBIACEAE Madder family

Cephalanthus occidentalis L. Uncommon Seep
 Common buttonbush

CAPRIFOLIACEAE Honeysuckle family

Lonicera interrupta Benth. Rare Slope, especially
 Chaparral honeysuckle north

Sambucus caerulea Raf. Uncommon Rocky slope
(Sambucus glauca Nutt.)
 Blueberry elder
 Blue elderberry

